



- Valvola a sfera Wafer Split, flangiata PN100, a passaggio totale, dispositivo antistatico, scartamento secondo UNI EN 558 basic series 101, Fire Safe.
- Wafer Split full bore flanged ball valve, PN100, Antistatic Device, according to UNI EN 558 basic series 101, Fire Safe.
- Vanne à boisseau sphérique Wafer Split à brides PN100, à passage intégral, dispositif antistatique, selon norme UNI EN 558 basic series 101, Fire Safe.
- Kompaktflansch-Kugelhahn Split-Wafer Ausführung PN100, mit vollem Durchgang, antistatische Ausführung, Baulängen ab UNI EN 558 basic series 101, Fire Safe.
- Válvula de bola Wafer Split, con bridas PN100, de paso total, dispositivo antiestático, según normas UNI EN 558 basic series 101 seguridad al fuego.

Limiti di temperatura: -20° +160° - Temperature range: -20° +160°
Vuoto: 10³ torr. - Vacuum: 10³ torr.



Art.763030

Art.764150

POS.	DENOMINAZIONE	PART NAME	DESCRIPTION	TEILBENENNUNG	DENOMINACION	MATERIALE - MATERIALS - MATERIAUX - WERKSTOFF - MATERIAL	N°P	
1	CORPO	BODY	CORPS	GEHÄUSE	CUERPO	A182 - F316/F316L	A350 - LF2	1
2	FLANGIA	END CONNECTION	BRIDE	FLANSCH	BRIDA	A182 - F316/F316L	A350 - LF2	1
3	SFERA	BALL	BILLE	KUGEL	BOLA	A351-CF8M/A182-F316	A351-CF8/A182-F304	1
4	GUARNIZIONE SFERA	BALL SEAT	JOINT DE TENUE BILLE	KUGELDICHTUNG	ASIENTO ESFERA	P.T.F.E. + MET / R P.T.F.E	P.T.F.E. + MET/R P.T.F.E	2
5	ASTA	STEM	TIGE	SPINDEL	EJE	A182 - F316	A182 - F304	1
6	DADO	NUT	ECROU	MUTTER	TUERCA	STAINLESS STEEL	CARBON STEEL	2
7	MOLLA A TAZZA	SPRING WASHER	RESSORT À DISQUES	TELLERFEDER	MUELLE CONTENEDOR	STAINLESS STEEL	CARBON STEEL	4
8	MEZZOGIRO	90° STOP	90° STOP	90° STOP	90° STOP	STAINLESS STEEL	CARBON STEEL	1
9	BUSSOLA	BUSH	BAGUE	BUCHSE	ANILLO	A182-F316	A182-F316	2
10	GUARNIZIONE ASTA	STEM SEAT	JOINT DE L'AXE	SPINDELICHTUNG	ASIENTO EJE	P.T.F.E.	P.T.F.E.	1
11	LEVA	HANDLE	POIGNÉE	HANDHEBEL	PALANCA	STAINLESS STEEL	CARBON STEEL	1
12	GUARNIZIONE ASTA	STEM SEAT	JOINT DE L'AXE	SPINDELICHTUNG	ASIENTO EJE	GRAPHOIL	GRAPHOIL	1
13	O-RING	O-RING	O-RING	O-RING	O-RING	FKM (VITON)	FKM (VITON)	1
14	O-RING	O-RING	O-RING	O-RING	O-RING	FKM (VITON)	FKM (VITON)	1
15	RONDELLA	WASHER	RONDELLE	RING	ARANDELA	A182-F304	A182-F304	2
16	GUARNIZIONE CORPO	BODY SEAT	JOINT DE CORPS	GEHÄUSE ABDICHTUNG	ASIENTO CUERPO	GRAPHOIL	GRAPHOIL	1
17	GUARNIZIONE CORPO	BODY SEAT	JOINT DE CORPS	GEHÄUSE ABDICHTUNG	ASIENTO CUERPO	P.T.F.E.	P.T.F.E.	1
18	RONDELLA ASTA	THRUST WASHER	RONDELLE DE L'AXE	SPINDELSCHEIBE	EMPAQUETADURA	P.T.F.E.	P.T.F.E.	1
19	VITE	SCREW	VIS	SCHRAUBE	TORNILLO	STAINLESS STEEL	CARBON STEEL	3-4-7
20	VITE	SCREW	VIS	SCHRAUBE	TORNILLO	STAINLESS STEEL	STAINLESS STEEL	2
21	DADO	NUT	ECROU	MUTTER	TUERCA	STAINLESS STEEL	STAINLESS STEEL	1

MISURA SIZE	DN	D	Y	Z	I	L	R	P	A	C	T	E	F	ØN	B	Kv	PN	Kg
1/2"	15	105	75	4 x M12	24	55	131	71	52,5	17	7,5	M10	7	42-F04	M5	19,2	100	3,0
3/4"	20	130	90	4 x M16	25	60	174	88	67,5	22,6	9	M12	8	42-F04	M5	35,0	100	4,9
1"	25	140	100	4 x M16	28	65	174	92	72,5	23,5	9,5	M12	8	42-F04	M5	64,5	100	6,2
1 1/4"	32	155	110	4 X M20	33	75	251	101	94	31	11	M16	10	50-F05	M6	103,8	100	10
1 1/2"	40	170	125	4 X M20	41	85	251	131	107	31,5	11,5	M16	10	50-F05	M6	174,0	100	13,3
2"	50	195	145	4 X M24	50	100	321	143	123	38	17,5	M20	14	70-F07	M8	301,3	100	21
2 1/2"	65	220	170	8 X M24	64	125	321	158	133	35	14,5	M20	14	70-F07	M8	545,7	100	30,5
3"	80	230	180	8 X M24	75	150	381	172	152	43,5	19	M24	18	70-F07	M8	872,5	100	42,2
4"	100	265	210	8 X M27	92,5	185	381	185	165	43,5	19,5	M24	18	102-F10	M10	1363,3	100	66,8

Disponibili anche nella versione V Ball - V Ball version available